THE STAGEBUS

RISK ASSESSMENT: Events with The Snail Stage

Risks Before Event Arrival

(and after leaving the site following an event)

For transportation, the Snail Stage packs up and travels as trailer. The Snail Stage is maintained to all legal requirements and checks on vehicle condition are undertaken before leaving the storage site. The Snail Stage is not licensed to carry passengers.

Risk:	Possible consequence:	Possibility:	How will we reduce	Possibility reduced to:	What we will do if the
			this risk:		event occurs:
The Snail Stage	Loss of time	Low	Maintain the Snail	Low	Call breakdown cover
/transporting vehicle			Stage and transporting		and get the vehicle
will not start			vehicle. Ensure that		recovered or repaired.
			breakdown cover is in		
			place		
Breakdown	Loss of time	Medium	Maintain the Snail	Low	Call breakdown cover
			Stage. Ensure that		and get the vehicle
			breakdown cover is in		recovered or repaired.
			place.		
	Injury working on	Medium	Follow safe working	Low	Call first aider or
	roadside		practices with		emergency services as
			appropriate Personal		appropriate. Take
			Protective Equipment.		refuge in safe area.
			Seek to move the Snail		
			Stage. to a safe refuge		
			as soon as possible.		
			Call for highways		

			agency backup if required.		
Road Accident (Snail Stage towing vehicle directly involved)	Injury: at time of accident	Medium	Driver to be competent and familiar with driving the Snail Stage towing vehicle. Passengers in the towing vehicle are to remain in safe	Low -Medium	Call breakdown recovery service and other emergency services.
			positions for travelling at all times. First aid kit available.		
	Death: at time of accident	Low	Driver to be competent and familiar with driving the Snail Stage towing vehicle. Passengers to remain in safe positions for travelling at all times.	Low	Call the emergency services and the next of kin.
	Injury or death following accident	Medium	Move to a safe refuge if necessary, wearing high visibility clothing and Personal Protective Equipment as appropriate. Follow the instructions of the emergency services at all times.	Low	Seek further assistance if required.
	Destruction of vehicle or Equipment	Medium	Driver to be competent and familiar with driving the Snail Stage	Low	Call breakdown cover and get the vehicle recovered or repaired.

		towing vehicle so that		Assess damage so that
		damage can be		replacements can be
		reduced as far as		arranged ASAP.
		possible. Equipment to		
		be stored and packed		
		away securely and		
		spares carried where		
		appropriate. A means		
		to locate local		
		suppliers should this		
		not be sufficient		
		should be used.		
		Suitable insurance		
		should be in place.		
Fire	Low	Ensure that all	Low	Use fire extinguishers
		flammable materials		or call the fire brigade
		are suitably stored.		if necessary.
		Fire extinguishers		
		should be stored so		
		that they are		
		accessible and their		
		positions made known		
		to crew members.		
Loss of time	Medium	Driver to be competent	Low	Follow the instructions
		and trained in driving		of emergency services.
		the Snail Stage towing		Call for further
		vehicle. The Event		assistance if needed.
		Project Manger /		
		Driver will liaise with		
		the emergency		
		services and any third		
		parties to ensure that		

			the situation is dealt		
			with properly and as		
			efficiently as possible.		
Road Accident and/or	Loss of time	High	Allow extra time when	Medium	Contact the Customer
Closure (Snail Stage			planning routes to		for with an updated
not directly involved)			account for		arrival time.
			unexpected delays.		
			Listen to traffic news if		
			possible and follow all		
			signs and enforcement		
			officer instructions.		
	Risks to health from	Medium	All crew and driver to	Low	Seek further medical
	debris / fire etc.		follow signs and		assistance if necessary.
			instructions from law		,
			enforcement officers.		
			Crew to make Project		
			Manager aware of any		
			pre-existing health		
			conditions that may		
			make them more		
			vulnerable.		
Low Bridges	Breakdown	Medium	Check the route before	Low	Call the Breakdown
			setting out. Know the		recovery service and
			height of the Snail		other emergency
			Stage. Be aware of		services.
			signs.		
Width Restrictions	Breakdown	Medium	Check the route before	Low	Call the Breakdown
			setting out. Know the		recovery service and
			width of the Snail		other emergency
			Stage towing vheilce		services as appropriate.
			and trailer. Be aware		

			of signs.		
Getting Lost	Loss of time	Medium	Plan the route before	Low	Read the map and call
			departing. Ensure that		for assistance if
			maps, satellite		necessary.
			navigation or similar		
			are on board the Snail		
			Stage should any		
			deviation from		
			planned route be		
			necessary.		
Tyre blowout	Accident	Medium	Maintain the Snail	Low	Call our breakdown
			Stage and towing		cover and get the
			vehicle and ensure that		vehicle recovered or
			breakdown cover is in		repaired.
			place		
Puncture	Accident	Medium	Maintain the Snail	Low	Call our breakdown
			Stage and towing		cover and get the
			vehicle and ensure that		vehicle recovered or
			breakdown cover is in		repaired.
			place		
High Winds	Instability	Medium	Check the weather	Low	Drive carefully and stop
			forecast and make sure		if necessary.
			the driver is fully		
			trained on how to deal		
			with high winds,		
			knowing what normal		
			behaviour is for the		
			Snail Stage towing		
			vehicle. Follow the		
			instructions of		
			enforcement officers		

			at all times.		
Loose equipment	Injury	Medium	Make sure it is all strapped down and	Low	Fix the equipment back into place and deal
			fixed in place		with any injuries. Call a First Aider if necessary.
	Equipment Destruction	Low	Make sure it is all strapped down and fixed in place.	Low	Repair it if possible, or source spares/replacement equipment.

Risks on Arrival at Site

On arrival at site the crew will make contact with the Customer or other designated person to site the Snail Stage. Prior to arrival, the Customer will have agreed that there is suitable access for the Snail Stage vehicle, and arranged for separate movement of the operating trailer where this is necessary. The driver will comply with all on site driving requirements such as speed limits and use of warning lights.

Risk:	Possible consequence:	Possibility:	How will we reduce	Possibility reduced to:	What we will do if the
			this risk:		event occurs:
Manoeuvring Snail	Hitting obstacles /	Medium	Travel slowly when	Low	Call first aider if
Stage / towing vehicle	people		manoeuvring. Use		necessary
			mirrors appropriately		
			and have "spotters"		
			outside the Snail Stage		
			towing vehicle		
			watching out for		
			moving people. Where		
			necessary utilise		
			people to cordon off		
			and warn crowds.		
	Lack of space	Medium	Ensure that the venue	Medium	Seek alternative access
			knows the size of the		routes.

			Snail Stage, the towing		
			vehicle and trailer, and		
			the space necessary for		
			turning. Driver to have		
			absolute discretion		
			whether to attempt a		
			manoeuvre.		
Soft or delicate ground	Damage to ground	Medium	Driver to judge	Low	Make the area safe
			whether there is		(mark trip hazards etc.)
			adverse risk to the		and inform the
			ground. Use boards or		relevant bodies as soon
			other suitable track		as possible.
			way (customer		
			supplied) to create a		
			safe route. Travel at a		
			suitable speed to		
			minimise damage.		
	Snail Stage trailer	Low	Ensure that tyres have	Low	Call for a suitable
	and/or towing vehicle		sufficient tread. Driver		towing vehicle.
	becoming stuck		to pre-walk any ground		
			he feels there is a risk		
			and to have absolute		
			discretion whether to		
			attempt to travel over		
			an area. Make use of		
			track ways and boards		
			if necessary.		
Unattended vehicle	Theft of vehicle	Low	As far as possible,	Low	Call law enforcement
			always leave someone		and local security as
			with the vehicle.		possible.
I			Otherwise ensure all		

		doors are secured and request that any lockable exits to the site are also locked. Customer to ensure there is suitable security for the		
		duration the Snail Stage is on site.		
Theft of other Equipment	Medium	Equipment to be stored securely and out of sight.	Low	Call the emergency services as appropriate. Source spare equipment.
Damage	Medium	Customer to ensure there is suitable security for the duration the Snail Stage is on site. The Snail Stage should be left closed, which means that most damage should only be superficial.	Low	Prevent further damage from occurring if safe to do so. Assess the scale of the damage and how to make is safe.

Risks During Equipment Setup / Takedown

Equipment setup and takedown will be undertaken by at least two competent and trained members of crew. The working area will be clearly marked and no public access allowed until the Project Manager has declared it safe.

Risk:	Possible consequence:	Possibility:	How will we reduce this risk:	Possibility reduced to:	What we will do if the event occurs:
Opening doors	Injury	Low	Check for obstacles (including people) before opening doors.	Low	Call first aider if necessary.
Bystanders	Injury or interference	Medium	The working area is to be kept clear of members of the public using suitable barriers and/or deployment of personnel. Any offers of help will be declined.	Low	Secure the area and call venue security if this remains an issue.
Objects falling	Injury	Medium	Make sure that objects are put away and rigged correctly, in line with the method statement.	Low	Call first aider if necessary.
Generator and Other plant	Injury	Medium	Generator to be kept out of the main public concourse and clearly marked. Personnel to be assigned to this area as appropriate.	Low	Call first aider and emergency services.
Lifting	Injury	Medium	Use ramps to get heavy objects on and off stage. Train crew members in correct lifting techniques. All lifts to be assessed by crew on an individual	Low	Call first aider if necessary.

			task basis.		
Falls from step ladders	Injury	Medium	All ladders will be	Low	Call first aider if
			regularly inspected as		necessary.
			to their condition.		
			Ladders will be		
			designed for the task		
			of heavy lifting.		
			Ladders will only be		
			used when necessary,		
			and where possible be		
			braced by another		
			person. In all		
			circumstances crew		
			will ensure the		
			stepladder is securely		
			placed.		
Slips	Injury	Low	Clear away any spills	Low	Call first aider if
			when they occur		necessary.
Trips	Injury	Medium	Tidy things away and	Low	Call first aider if
			keep walkways clear		necessary.
Trips on and off the	Injury	Medium	Ensure that the stage is	Low	Call first aider if
stage			levelled and locked		necessary.
			into position as soon as		
			possible during setup.		
Power	Electric shocks	Low	The Snail Stage is	Low	Call a first aider or
			earthed and		ambulance depending
			appropriate trips are		on the severity of the
			used in the fuse box.		shock.
			As far as possible, the		
			electrical circuits and		
			cables are pre-wired.		

	Fire	Medium	Equipment is regularly	Low	Call emergency
			inspected for safety,		services as necessary.
			and is suitable for its		
			intended purpose:		
			heat proof cable and		
			connectors are used in		
			for all high		
			temperature		
			applications and		
			waterproof IP rated		
			connectors used where		
			appropriate.		
			Equipment will be		
			positioned to avoid		
			water which may		
			adversely affect its		
			function. Fire exit		
			routes will be left at all		
			times and crew will be		
			aware of the		
			positioning of fire		
			extinguishers.		
Cable runs	Injury from trips and	Medium	Cable runs to be kept	Low	Call first aider if
	falls		neat and tidy. Any		necessary.
			cross site runs should		
			be buried or suitably		
			covered.		
	Loss of control from	Medium	Avoid any cable links in	Low	Identify the problem as
	damage		public areas as far as		soon as possible to fix
			possible. Where this is		it.
			not possible, secure		
			the coupled		

			connectors with tape. Inspect the condition of cables regularly to identify any weak points. Cross site runs should be buried or		
			suitably covered.		
Extreme weather	Damage to equipment / injury / death	Low	Only setup and takes down the Snail Stage if it safe to do so. It may be necessary to delay rigging / de-rigging.	Low	Halt the setup / take down process, make safe as far as possible and evacuate the area.

Risks Whilst Operating the Equipment

StageBus crew will operate the Equipment at all times during the performance except by prior arrangement. Should any other crew be used, such as touring sound engineers, the event Project Manager will remain in overall control and have the authority to overrule any decisions made by the crew member if it is deemed to pose risk to any person or piece of equipment. Equipment will be operated at all times within StageBus policies.

Risk:	Possible consequence:	Possibility:	How will we reduce this risk:	Possibility reduced to:	What we will do if the event occurs:
Extreme Weather	Heavy Rain	Medium	Remain vigilant during the performance of changing weather conditions. Check the condition of the roof regularly.	Low	Identify when the weather is becoming dangerous and end the performance if necessary.
	High winds	Medium	Do not use ladders, open speaker flaps, or set up the stage in high winds. Remain vigilant during the performance of changing weather conditions.	Low	Identify when the weather is becoming dangerous and end the performance if necessary.
	Lightning strike	Low	The Snail Stage is earthed but crew will remain vigilant during the performance of changing weather conditions.	Low	Identify when the weather is becoming dangerous and end the performance if necessary. Call first aider if necessary.
	Low Temperatures	Medium	Advise people to bring suitable clothing. Emergency blankets and similar to be carried should they be required.	Low	Call first aider if necessary and have hot drinks available.
Members of the public offering assistance	Injury or interference	Medium	Refuse offers of help. Suitable barriers and deployment of	Low	Call security for reinforcement if there is a problem.

			personnel to keep		
			members of the		
			general public out of		
			working areas.		
Theft of Equipment	Unable to continue	Medium	Equipment to be kept	Low	Call for security
	operating		within the stage area		reinforcement if there
	3,7333 0		as much as possible.		is a problem.
			Personnel encouraged		·
			to challenge anyone		
			acting suspiciously.		
Slips	Injury	Medium	Clear away any spills	Low	Work out the cause
•			when they occur. Limit		and make safe. Call
			beverages on stage to		first aider if necessary.
			sealable bottles.		,
Falls	Injury	Medium	Stage manager to	Low	Work out the cause
			ensure that any		and make safe. Call
			performer's equipment		first aider if necessary.
			is kept tidy and		·
			walkways remain clear.		
High noise levels	Temporary deafness	Medium	Crew will be provided	Low	Call first aider if
			with ear-plugs and		necessary.
			warning will be given		
			before noise levels are		
			raised		
Bright lights	Temporary blindness	Low	Performers to be	Low	Call first aider if
	or shock		aware that the stage is		necessary.
			artificially lit		
Lighting	Epileptic reaction to	Medium	Strobe lighting will only	Low	Call first aider if
	strobe lighting		be used with the		necessary.
			approval of the		
			Customer, who will		

undertake to inform the crowd by the most suitable route. Lighting controlled by crew member at all times. Burns Low Position fixtures which generate high heat levels carefully. They should not be placed in any public or unattended areas. Falling lights Medium All lights rigged at height will be secured by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or appeared without					
suitable route. Lighting controlled by crew member at all times. Burns Low Position fixtures which generate high heat levels carefully. They should not be placed in any public or unattended areas. Falling lights Medium All lights rigged at height will be secured by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Medium Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			undertake to inform		
Burns			the crowd by the most		
Burns Low Position fixtures which generate high heat levels carefully. They should not be placed in any public or unattended areas. Falling lights Medium All lights rigged at height will be secured by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			suitable route. Lighting		
Burns Low Position fixtures which generate high heat levels carefully. They should not be placed in any public or unattended areas. Falling lights Medium All lights rigged at height will be secured by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Medium Medium Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			controlled by crew		
generate high heat levels carefully. They should not be placed in any public or unattended areas. Falling lights Medium All lights rigged at height will be secured by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			member at all times.		
levels carefully. They should not be placed in any public or unattended areas. Falling lights Medium All lights rigged at height will be secured by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or	Burns	Low	Position fixtures which	Low	Call first aider if
Falling lights Medium All lights rigged at height will be secured by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Medium Medium Medium Medium Medium Medium Medium Medium Manufacturers' Low Call first aiders and fire brigade if necessary.			generate high heat		necessary.
any public or unattended areas. Falling lights Medium All lights rigged at height will be secured by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			levels carefully. They		
Falling lights Medium All lights rigged at height will be secured by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or Call first aider if necessary. Low Call first aiders and fire prigade if necessary.			should not be placed in		
Falling lights Medium All lights rigged at height will be secured by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			any public or		
height will be secured by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			unattended areas.		
by at least one additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or	Falling lights	Medium	All lights rigged at	Low	Call first aider if
additional point of security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			height will be secured		necessary.
security (such as a safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			by at least one		
safety bond or chain) to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			additional point of		
to the main fixture point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			security (such as a		
point or points. Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			safety bond or chain)		
Performers will be warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			to the main fixture		
warned of any unsecured fixtures on the stage floor. Fire Medium Manufacturers' guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			point or points.		
Fire Medium Manufacturers' Low Call first aiders and fire guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			Performers will be		
Fire Medium Manufacturers' Low Call first aiders and fire guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			warned of any		
Fire Medium Manufacturers' Low Call first aiders and fire guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			unsecured fixtures on		
guidelines will be followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			the stage floor.		
followed relating to distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or	 Fire	Medium	Manufacturers'	Low	Call first aiders and fire
distances from heat sources. Remain aware during performance of any fixtures or fittings that have moved or			guidelines will be		brigade if necessary.
sources. Remain aware during performance of any fixtures or fittings that have moved or			_		
during performance of any fixtures or fittings that have moved or			distances from heat		
any fixtures or fittings that have moved or			sources. Remain aware		
that have moved or			during performance of		
			any fixtures or fittings		
appeared without			that have moved or		
			appeared without		

			authorisation.		
Fire	Injury	Medium	All material used on	Low	Call emergency
			the Snail Stage will be		services as necessary.
			flame retardant or		
			treated to be so. Crew		
			will remain aware		
			during performance of		
			any materials which		
			appear without		
			authorisation (such as		
			banners) and take		
			steps to make them		
			safe. Crew are also		
			aware of the locations		
			and operation of basic		
			fire fighting equipment		
			(extinguishers).		
Noise	Loud noises	Medium	The Customer should	Low	Call first aider if
			warn any staff		necessary. Remove
			members of the risks		anyone affected from
			of loud noises. Sound		the
			will be kept below any		
			level specified by the		
			Customer or		
			authorities. The stage		
			manager should liaise		
			with the performers to		
			ensure that on stage		
			sound levels are		
			suitable.		
Crowd	Disorder	Medium	Crew to follow	Low	Call for extra security if

		StageBus policy. Customer to provide		necessary.
		security.		
Theft	Medium	Crew to follow	Low	Call for extra security if
		StageBus policy.		necessary.
		Customer to provide		
		security.		
Stage Invasion	Medium	Crew to follow	Low	Call for extra security if
		StageBus policy.		necessary.
		Customer to provide		
		security.		
Invasion of operating	Medium	Crew to follow	Low	Call for extra security if
trailer		StageBus policy.		necessary.
		Customer to provide		
		security.		
Missiles	Medium	Crew to follow	Low	Call for extra security if
		StageBus policy.		necessary.
		Customer to provide		
		security.		
Abuse, including	Medium	Crew to follow	Low	Call for extra security if
racism		StageBus policy.		necessary.
		Customer to provide		
		security.		
Threats to crew	Medium	Crew to follow	Low	Call for extra security if
members		StageBus policy.		necessary.
		Customer to provide		
		security.		
Climbing on staging /	Medium	Crew to follow	Low	Call for extra security if
truss structure		StageBus policy.		necessary.
		Customer to provide		
		security.		

	Interference with	Medium	Crew to follow	Low	Call for extra security if
	electrics		StageBus policy.		necessary.
			Customer to provide		
			security.		
	Attempts to start or	Low	The Snail Stage should	Low	Call for extra security
	manoeuvre the Snail		be electrically isolated		to remove anyone
	Stage.		as soon as it is sited		attempting.
			(preventing the engine		
			form starting). Drivers		
			cab should be locked.		
	Attempt to access the	Medium	Door is locked - non-	Low	Call for extra security if
	Snail Stage.		crew members have no		necessary.
			access.		
Equipment failure	Total or partial sound	Medium	Carry spare parts on	Low	Change the part as
	failure due to loss of		the Snail Stage or		quickly as possible.
	amp		towing vehicle. Change		
			the part if possible.		
			Training is given to		
			crew members.		
	Total sound failure due	Medium	Cable runs between	Low	Restore sound either
	to cable interruption		sound desk and stage		through swapping
			to be kept neat and		cables or repositioning
			tidy and covered or		as soon as possible.
			flown at all times.		
	Lighting Failure due to	Medium	Where possible have	Low	Restore lighting control
	cable interruption		lights default to a static		either through
			but lit state.		swapping cables or
					repositioning as soon
					as possible.
Power failure	Loss of lights or sound	Medium	Crew will source the	Low	Use torches or
			problem and fix as		loudspeaker to

			soon as possible, all crew will be trained in		coordinate efforts. Rectify the problem if
			the basics of how the		possible.
	Fire	Low	power system works. Carbon Dioxide fire extinguishers are on the Snail Stage.	Low	Call the fire brigade if necessary.
	Disorder – crowd objections	Medium	Crew to follow StageBus policy. Customer to provide security.	Low	Call for extra security if necessary.
Acts being rude, abusive or inappropriate	Arguments	Medium	Stage Manager should liaise with acts. Crew to maintain communication with the stage manager. Equipment should be set up so that control can be maintained from the trailer, removing stage power and amplification if necessary.	Low	Call for extra security if necessary.
Using stage	Falling off stage	Low	Stage constructed so that it is flat and smooth. Position of steps etc. Should be marked.	Low	Call first aider if necessary.
	Injury	Medium	Make sure stage has been constructed so it is flat and smooth.	Low	Call first aider if necessary.

		Only use proper staging blocks with non-slip services. Steps should be tested by crew for stability before members of the public are given access.		
Issues with other (non StageBus) electrical equipment	Medium	The StageBus may refuse to allow the use of any equipment they deem to be unsafe; performers are responsible for the electrical safety of their own equipment. Venue must communicate this to them. If there is a fault, have a trip switch and fire extinguishers.	Low	Call emergency services as necessary.

General Risks Relating to Crew

All crew members on site will be trained in the operation of StageBus equipment, and will have agreed to all working procedures etc. There will be at least one senior member of crew present ("the Project Manager"), who will liaise with all other crew members.

Risk:	Possible consequence:	Possibility:	How will we reduce	Possibility reduced to:	What we will do if the
			this risk:		event occurs:
Pre-existing medical	Injury / sickness	Low - High	Crew members should	Low	Call first aider if
conditions			ensure that the Project		necessary.
			Manager is informed of		
			any pre-existing		

		T		T	
			medical conditions and		
			on the most		
			appropriate course of		
			action should they		
			become ill. Crew		
			members should		
			assess all tasks on an		
			individual basis before		
			undertaking them.		
	Aggravation of existing	Low - Medium	Crew must follow	Low	Seek medical attention
	physical injury		StageBus policy. Crew		if necessary.
			members should		
			assess all actions on an		
			individual task basis.		
Medical Emergency	Injury / sickness	Low- High	Provide first aid	Low	Seek further medical
			treatment as soon as		attention if necessary.
			possible. Follow event		
			procedures for		
			escalating where		
			appropriate.		
Exposure to loud	Hearing Damage	Medium	Crew to be provided	Low	Temporarily reassign
music			with ear plugs and		crew member.
			given opportunities to		
			work in quieter areas.		
			Music volume should		
			not exceed any level		
			set by the customer or		
			regulatory authorities,		
			and StageBus policy		
			should be maintained		
			at all times.		

Lack of PPE / warm	Injury / exposure to	Low - High	As workers are	Low	Call first aider if
clothing	extreme temperatures		freelance, workers		necessary.
	/ UV rays		bring their own		
			appropriate clothing.		
			Clothing guidelines are		
			issued to the crew.		
			High visibility clothing		
			and some spare warm		
			clothing is kept on		
			board the Snail Stage		
			and is provided where		
			necessary.		
Refreshments	Fatigue due to hunger	Medium	Basic non-perishable	Low	Source food and allow
			food supplies kept on		affected crew member
			the Snail Stage when		to rest.
			possible. Opportunity		
			to have at least one full		
			meal during events		
			lasting over 4 hours		
			will be provided. Crew		
			members advised that		
			they may wish to bring		
			their own food		
	Dehydration	Medium	The Customer should	Low	Call first aider if
			provide "drinking		necessary.
			water", that being		
			water which meets the		
			standards set out in		
			the Drinking Water		
			Directive (1998).		
Toilets	Illness due to lack of	Low	Customer will provide	Low	Call first aider if

	access		crew with access to		necessary.
			toilets for the duration		
			of the event.		
	Illness due to	Medium	Customer responsible	Low	Seek medical attention
	contamination		for maintaining toilet		if needed.
			facilities. Hand wipes		
			and similar available		
			on the Snail Stage if		
			required.		
General problems	Anything	Low - High	Crew must point out	-	Rectify the problem as
			any risks to manager.		soon as possible if able
			Common sense should		to.
			be used at all times.		

APPROVED BY Andrew Teverson, June 2024, on behalf of THE STAGE BUS LTD.